

31/2/13B

WATER WELL REPORT

Start Card No. W 00366
Unique Well I.D. #
Water Right Permit No.

STATE OF WASHINGTON

(1) OWNER: Name STONEMAN, JON		Address 556 E COUGAR LANE CAMANO ISLAND, WA 98292-																																								
(2) LOCATION OF WELL: County ISLAND		- NW 1/4 NE 1/4 Sec 13 T 31 N., R 2 WM																																								
(2a) STREET ADDRESS OF WELL (or nearest address) 226 S W CAMANO ISLAND, CAMANO ISLAND																																										
(3) PROPOSED USE: MUNICIPAL		(10) WELL LOG																																								
(4) TYPE OF WORK: NEW WELL		Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.																																								
Owner's Number of well (If more than one) Method: ROTARY																																										
(5) DIMENSIONS: Diameter of well 6 inches Drilled 417 ft. Depth of completed well 417 ft.																																										
(6) CONSTRUCTION DETAILS: Casing installed: 6 WELDED		<table border="1"> <thead> <tr> <th>MATERIAL</th> <th>FROM</th> <th>TO</th> </tr> </thead> <tbody> <tr><td>DIRTY SAND & GRAVEL</td><td>0</td><td>30</td></tr> <tr><td>BROWN CLAY</td><td>30</td><td>40</td></tr> <tr><td>BLUE CLAY</td><td>40</td><td>75</td></tr> <tr><td>BLUE CLAY & GRAVEL</td><td>75</td><td>95</td></tr> <tr><td>BROWN CLAY & GRAVEL</td><td>95</td><td>146</td></tr> <tr><td>SANDY BLUE CLAY</td><td>146</td><td>164</td></tr> <tr><td>BROWN CLAY & GRAVEL</td><td>164</td><td>200</td></tr> <tr><td>BLUE CLAY</td><td>200</td><td>235</td></tr> <tr><td>BROWN CLAY</td><td>235</td><td>265</td></tr> <tr><td>BROWN CLAY & GRAVEL</td><td>265</td><td>358</td></tr> <tr><td>SAND</td><td>358</td><td>380</td></tr> <tr><td>SAND & WATER</td><td>380</td><td>417</td></tr> </tbody> </table>		MATERIAL	FROM	TO	DIRTY SAND & GRAVEL	0	30	BROWN CLAY	30	40	BLUE CLAY	40	75	BLUE CLAY & GRAVEL	75	95	BROWN CLAY & GRAVEL	95	146	SANDY BLUE CLAY	146	164	BROWN CLAY & GRAVEL	164	200	BLUE CLAY	200	235	BROWN CLAY	235	265	BROWN CLAY & GRAVEL	265	358	SAND	358	380	SAND & WATER	380	417
MATERIAL	FROM	TO																																								
DIRTY SAND & GRAVEL	0	30																																								
BROWN CLAY	30	40																																								
BLUE CLAY	40	75																																								
BLUE CLAY & GRAVEL	75	95																																								
BROWN CLAY & GRAVEL	95	146																																								
SANDY BLUE CLAY	146	164																																								
BROWN CLAY & GRAVEL	164	200																																								
BLUE CLAY	200	235																																								
BROWN CLAY	235	265																																								
BROWN CLAY & GRAVEL	265	358																																								
SAND	358	380																																								
SAND & WATER	380	417																																								
Perforations: NO Type of perforator used SIZE of perforations in. by in. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft.																																										
Screens: YES Manufacturer's Name Type STAINLESS STEEL Model No. TELESCOPING Diam. 6 slot size 12 from 407 ft. to 417 ft. Diam. slot size from ft. to ft.																																										
Gravel packed: NO Gravel placed from ft. to ft. Size of gravel ft.																																										
Surface seal: YES Material used in seal BENTONITE Did any strata contain unusable water? NO Type of water? Depth of strata ft. Method of sealing strata off																																										
(7) PUMP: Manufacturer's Name Type H.P.																																										
(8) WATER LEVELS: Land-surface elevation Static level 358 ft. above mean sea level ... ft. Date 11/08/93 Artesian Pressure lbs. per square inch Date Artesian water controlled by																																										
(9) WELL TESTS: Drawdown is amount water level is lowered below static level. Was a pump test made? If yes, by whom? Yield: gal./min with ft. drawdown after hrs. Recovery data Time Water Level Time Water Level Time Water Level		RECEIVED NOV 16 1993 DEPT. OF ECOLOGY Well Located According To Island County Ordinance #809 Work started 11/03/93 Completed 11/08/93																																								
Date of test / / Bailer test gal/min. 48 ft. drawdown after hrs. Air test 20 + gal/min. w/ stem set at ft. for 1 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? .		WELL CONSTRUCTOR CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief. NAME DAHLMAN PUMP & WELL DRILL (Person, firm, or corporation) (Type or print) ADDRESS PO BOX 422, BURLINGTON, WA [SIGNED] <i>Leo Dahlman</i> License No. 0623 Contractor's Registration No. DAHLMWP123LC Date 11/09/93																																								



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: APH258

RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Cohee Water System

Street Address: 556 E. COUGAR LANE

City: CAMANO ISLAN

State: WA

RECEIVED

APR 24 2007

DEPT. OF ECOLOGY

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: Meadow View PI/R23136-467-3240

City: Camano Island

County: Island

T. 31N

R. 02E W.M.

Sec. 36

NW 1/4 of the NE 1/4

FOR AGENCY USE ONLY

Latitude: 48 8.236837

Longitude: 122 29.68902

Elevation at land surface 365 feet meters (circle one)

Additional Information, if available:

☐ Location marked on topographic map (please attach)

☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from
DEM and GPS XY Coordinates

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Follow Road To The End. Pumphouse At The End.

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well?

☐

Yes

☒

No

If yes, where was tag placed?

D	C	<div>●</div> B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 31N/02E-36

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # _____

Date Issued: _____

Circle One: Application Permit Certificate Claim Exempt

31/2/13B

WATER WELL REPORT

Start Card No. M 00366
Unique Well I.D. #
Water Right Permit No.

STATE OF WASHINGTON

(1) OWNER: Name STONEMAN, JON Address 556 E COUGAR LANE CAMANO ISLAND, WA 98292-
 (2) LOCATION OF WELL: County ISLAND - NW 1/4 NE 1/4 Sec 13 T 31 N., R 2 WM
 (2a) STREET ADDRESS OF WELL (or nearest address) 226 S W CAMANO ISLAND, CAMANO ISLAND
 (3) PROPOSED USE: MUNICIPAL

(4) TYPE OF WORK: Owner's Number of well
 (If more than one)
 Method: ROTARY

NEW WELL

(5) DIMENSIONS: Diameter of well 6 inches
 Drilled 417 ft. Depth of completed well 417 ft.

(6) CONSTRUCTION DETAILS:
 Casing installed: 6 " Dia. from 0 ft. to 407 ft.
 WELDED " Dia. from ft. to ft.
 " Dia. from ft. to ft.

Perforations: NO

Type of perforator used

SIZE of perforations

	ft.	in.	by	in.
perforations from	ft.	to	ft.	
perforations from	ft.	to	ft.	
perforations from	ft.	to	ft.	

Screens: YES

Manufacturer's Name

Type STAINLESS STEEL

Diam. 6 slot size 12

Diam. slot size

Model No. TELESCOPING

from 407 ft. to 417 ft.

from ft. to ft.

Gravel packed: NO

Gravel placed from

Size of gravel

ft. to ft.

Surface seal: YES

Material used in seal BENTONITE

Did any strata contain unusable water? NO

Type of water?

Method of sealing strata off

To what depth? 18 ft.

Depth of strata ft.

(7) PUMP: Manufacturer's Name
 Type H.P.

(8) WATER LEVELS: Land-surface elevation
 above mean sea level ... ft.
 Static level 358 ft. below top of well Date 11/08/93
 Artesian Pressure lbs. per square inch Date
 Artesian water controlled by

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
 Was a pump test made? If yes, by whom?
 Yield: gal./min with ft. drawdown after hrs.

Recovery data

Time	Water Level	Time	Water Level	Time	Water Level
------	-------------	------	-------------	------	-------------

Date of test / /
 Bailer test gal/min. 48 ft. drawdown after hrs.
 Air test 20 + gal/min. w/ stem set at ft. for 1 hrs.
 Artesian flow g.p.m. Date
 Temperature of water Was a chemical analysis made?

(10) WELL LOG

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

MATERIAL	FROM	TO
DIRTY SAND & GRAVEL	0	30
BROWN CLAY	30	40
BLUE CLAY	40	75
BLUE CLAY & GRAVEL	75	95
BROWN CLAY & GRAVEL	95	146
SANDY BLUE CLAY	146	164
BROWN CLAY & GRAVEL	164	200
BLUE CLAY	200	235
BROWN CLAY	235	265
BROWN CLAY & GRAVEL	265	358
SAND	358	380
SAND & WATER	380	417

RECEIVED RECEIVED

NOV 16 1993

APR 24 2007

DEPT. OF ECOLOGY

DEPT. OF ECOLOGY

Well Located According To
 Island County Ordinance #809

Work started 11/03/93

Completed 11/08/93

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME DAHLMAN PUMP & WELL DRILL

(Person, firm, or corporation) (Type or print)

ADDRESS PO BOX 422, BURLINGTON, WA

[SIGNED] *Leo Becker* license No. 0623Contractor's
Registration No. DAHLMW123LC

Date 11/09/93